



## Hawaan Forest Conservation Trust Monthly site inspection report:

Summary:

29.08.2022

- i. The monthly site visit to the Hawaan Forest by A. Starke was conducted on the 22.08.2022.
  - ii. Items checked during the visit are detailed table on page 4. Further to these items, the site visit entailed checking up on the damaged pipeline, conducting a post burn assessment, and a spot check for snares in the lower northern area of the forest. No snares were found.
  - iii. An additional snare patrol on the south-western boundary of the forest was conducted by HCT staff on the 8th of August and only a single snare was found.
  - iv. The forest has been extremely dry during August and hence observe the forest structure because many of the trees are semi-deciduous. August is also a good time to find and remove existing building rubble which was historically dumped in the forest before the reserve was a protected area.
  - vi. Action items for September are to prepare to move the Tilley Shed into the forest management sub-zone. The shed was not moved during August because a contractor for the water and electrical points have yet to be appointed.
- Other action items in September are to plant out grassland wild flowers (*Vernona natalensis* and *Scabosia columbaria*) into opened up post burn areas.




Figure 1. Numbers on the map refer to items below.

(1)



Moderate to good regrowth of grasses have been noted on the forest edges after the burn. Some of these areas have opened up enough and will be suitable sites to plant wild-flowers.

(2)



The fire has done the job by cleaning up the invasive woody components of the block 4 and 5.

(3)



*Imperata cylindrica* grass has come back strongly at the corner of block 5.

(4)



Given it is the end of the dry season (August) a lot of water is being utilized by animals at the water points in the forest.

(5)



Much of the curry bush (*Helichrysum cymosum*) and other woody plants in block 5 have been burnt.

(6)



Grasses have started to regenerate nicely in the north east section of block 4.

(7)



The prescribed burn has resulted in a mosaic pattern of burnt grasses and remaining woody plants. This provides a heterogeneous structure for the grassland and therefore refuge for insects and small mammals until later in the spring.

(8)



However, there is still a lot of curry bush (and other indigenous shrubs growing in block 4 and 5 grasslands). These woody areas should be monitored but the focus of our efforts this growing season will be to ensure that the woody regrowth on the areas which have burnt well are maintained as open grassland patches.



---

(9)



The forest management team have been clearing Silver oak seedlings from the block 1 section of the grassland in August.

(10)



Grassland pathways have been cut and were neat during the inspection in August.

(11)



These *Gladiolus daylenii* (<http://pza.sanbi.org/gladiolus-dalenii>) are recruiting on the forest pathways and will be allowed to grow and then replanted to other areas of the grassland by the forest staff.

(12)



Annual winter (dry season) maintenance of rubble of the pathway has been conducted.

(13)



The small patch of *Arundo donax* (Spanish reed) is to be cut back again before summer.

(14)



The forest is extremely dry at the moment and hence in greatest extremum of seasonal deciduous phase - quite beautiful.

(15)



The pipeline has been temporarily closed for now, however the erosion risk is still high given that the structure has been undermined previously by the flow of sewerage and that there are many figs still growing in the cracks.

(16)



This image shows the top open section of the culvert. As of early September, this has now been closed by the sewerage and water department. Remaining to put pressure on the city, or find a reasonably priced contractor to clear the figs and other invasive plants off the pipeline.


---



The forest fauna have been out in full force during August and the action has clearly revolved around the water point at the entrance to the Bush Shrike trail. One again some beautiful forest images have been captured.



A lemon dove and male blue duiker



A Red capped robin chat with an Olive thrush



Juvenile crowned eagle



A family of bushbuck



Large spotted Genet



Dwarf mongoose

Operations: Tasks 2022															
Category	Item	Task	Schedule	Jan	Feb	March	April	May	June	July	Aug	Sept	Oct	Nov	Dec
Trails	1.1	Clearing away vegetation that is growing over, repairing washaways	Weekly	x	x	x	x	x	x	x	x				
	1.2	Repairing washaways	Weekly	-	-	-	-								
	1.3	Resetting concrete sleeper treads on steeper parts of the trails	Weekly	-	-	-	-	-	-	-	-				
	1.4	Cut the trails using a brush cutter once every two weeks in summer and check for overgrowth in winter	Weekly	x	x	x	x	x	x	x	x				
	1.5	Trails should be maintained because they function as fire breaks or tracer breaks for fire-fighting when annual burn is done each year in July/August.	Weekly	x	x	x	x	x	x	x	x				
	1.6	Check trails for over-hanging branches and other vegetation.	Weekly	x	x	x	x	x	x	x	x				
	1.7	Clearing litter on the trails and in the forest twice a week as not much pedestrian traffic if usage increases then checking daily will have to be done.	Weekly	x	x	x	x	x	x	x	x				
	1.8	Check fuel and oil for machines and report.	Monthly	x	x	x	x	x	x	x	-				
	1.9	Snare management – check hot spot sites for re-applied snares on a weekly basis	Monthly	x	--	-	x	x	x	x	x				
Water points	2.1	Check if waterpoints are soiled by animals	Weekly	x	x	x	x	x	x	x	x				
	2.2	Fill waterpoints along the trails	Weekly	x	x	x	x	x	x	x	x				
Infrastructure	3.1	Observe and report to Management where signage needs to be cleaned or replaced due to vandalism or fading	Monthly	x	x	x	-	x	x	x	x				
	3.2	Check signs and clean signs and benches weekly	Weekly	x	x	x	x	x	x	x	x				
	3.3	Check exclusion plot for fallen trees or branches damaging the wire.	Monthly	x	-	-	x	x	x	x	-				
	3.4	Keep tools and equipment clean and serviced daily for hand tools.	Weekly	x	x	x	x	x	x	x	x				
	3.5	Clean and service machine tools after each session of use. Chainsaw, Brushcutter.	Weekly	x	x	x	x	x	x	x	x				
	3.6	Service of machinery at Berries	Yearly	-	-	x	-	-	-	-	-				



	3.7	Keep Tilley Huts neat and tidy sweep daily, clean windows every 10 days check maintenance and rusting on a monthly basis and report to HCT members.	Weekly	x	x	x	x	x	x	x	x					
	3.8	Check that trail cameras daily to ensure they are not stolen.	Daily	-	x	x	x	x	x	x	x					
	3.9	Cleaning of toilet and shower on a daily basis after use.	na	-	-	-	-	-	-	-	-					
	3.10	Check and order cleaning consumables for shower and toilet	na	-	-	-	-	-	-	-	-					
Woody plant management	4.1	On-going daily work is clearing invasive introduced plants such as Pepper Trees, Triffid etc..in both the forest and grassland systems.	Weekly	x	x	x	x	x	x	x	x					
		Checking for regrowth of IAPs monthly and set out new work areas each month.	Monthly	x	x	x	x	x	x	x	x					
	4.2	Removal of selected indigenous woody encroachment species such Silver Oak in the grassland section	Monthly	x	x	x	x	x	x	x	x					
	4.3	Monitoring herbicide stores on a monthly	Monthly	x	x	x	x	x	x	x	-					
Fire management	5.1	Ensure tracers belts and pathways in the grassland open before prescribed burn	Yearly	-	-	-	-	-	-	-x	x					
	5.2	Service fire-fighting equipment once before the annual burn is completed and then oil up so that next season the equipment has not seized up with rust. <i>Fire fighting =equipment one drip torch, 3 rubber beaters with handles, two Knapsack sprayers.</i>	Yearly	-	-	-	-	-	-	x	x					
Consumables	6.1	Order uniforms and personal protective gear for the 2 staff.	Yearly	-	x	x	-	-	-	x	-					

#### Herbicide register Hawaan forest nature reserve

Item	Herbicide name	Active ingredient	Type	Litres in stock	Date used	Species applied	Location
1.	Gladiator	Picloram	Selective	15L (pre-mix)	16/4/22	Callisa repens	Entrance gate
2.	Round-up	Glyphosate	Non-selective	3L	-	-	-

Some beautiful camera trap images were taken at the forest water point during July, 2022.



Red Duiker, female.



Bushbuck females.



Crested guinea fowl.



Red Duiker, male



Vervet Monkey, Banded Mongoose, and Guinea fowl.



Banded Mongoose.



Some beautiful camera trap images were taken within the dry forest interior during June.



Bush buck female)



Bush buck (male)



Bush buck (female)



Red duiker (female)



Bush buck (female)



Blue duiker (pair)



Sewer break: During the rainfall and flooding in mid-April the municipal sewer pipeline on the boundary of the HFT property ruptured. The damage is therefore not in the HFT property but will effect the species in forest. The event resulted in a high pressure flow of sewerage which eroded sections of the pipeline infrastructure while causing a plume of waste into the forest. Fortunately, it appears that the runoff did not undercut the pipeline too badly and good work from the city ensured that the issue was resolved timorously. What remains, is for the city to repair the ailing infrastructure and to co-ordinate a clean-up of the litter/plastics which was discharged into the forest.



Fig 1a. The flow of the effluent took a north-easterly direction.



Fig. 2b. Some areas of the pipeline have been undercut and will need to be repaired.



Fig 2c. The manholes on the pipeline remain open for the time being.



Fig2d. Some of the surrounding vegetation at the source point has collapsed but damage does not seem to be extensive. However, a full inspection has not been conducted.



Fig. 2e. The sewage plume continues in a north-east direction down the forest slope. Litter from this plume should be cleaned-up.



Some beautiful images and interesting sighting on the camera traps were observed during May. Firstly, a lovely bushbuck male on the Bushshrike trail camera. While many birds (tambourine dove, dark backed weaver, natal-robin, kurrichane thrush, wood owl, purple-headed turaco, thick-billed weaver and ashy fly catchers) and forest mammals (red and blue duikers, bushbuck, water mongoose, vervet monkey) have also utilised the water point.



Male bushbuck



Tambourine dove



Blue duiker (female)



Dark backed forest weaver



Purple-headed turaco



Vervet monkey



## Camera trap images February 2022

During Jan/Feb the HCT have worked closely with the HRA and Marshall security. The camera trap maintenance and daily checking is being conducted by Marshall security, though the HCT still have camera located in locations that will capture beautiful and interesting wildlife images. One highlight from February was a Bushbuck male captured at dawn on the interface between the estate and the grassland.



Bushbuck male at dawn.



Crested-guineafowl in the forest at night!



Blue duiker in the forest



Lemon dove in the forest leaf litter



The pair of resident water-mongoose



A pair of Olive-thrush's




Camera trap observation Jan 2022. Due to the heat in January the most notable camera trap observations for Jan 2021 focused on the water trough at Bushshrike trail. An exciting observation was a juvenile crowned eagle having a drink and cooling off in the water.



Crested Guinea fowl



Purple crested turaco



Crowned eagle (Juvenile)



Female bushbuck



Wood owl



Tambourine dove



Six of the seven camera have been in operation during November-December. The Seventh camera is due to be installed within the next week. Camera batteries appear to last between 3-4 four weeks, while each camera used between 500 mb and 1gig of data. The data budget for each camera should be in the order of R 50-75 per month. Importantly no non-resident 'humans' have been noted on the cameras. AS will continue to monitor the camera in December but the way forward in January will be garner support from the HOA security to help with monitoring. Some interesting new species were observed over the Nov/Dec period, for example: on Camera V, a Steppe Eagle. Other observations in the images are : i) = Large spotted Genet ; ii) & vii) Female bushbuck; i) Water mongoose i) Male bushbuck.



⌂ v)



⌂ i)



⌂ iii)



⌂ vii)




⌂ i)



⌂ i)



Camera trap images October-November 2021. New species observations in November were Water Mongoose. Other sightings include: Bushbuck family activity, Blue Duiker pairs and Crested Guine fowel.





## Camera trap images March 2022


During March the HCT have again worked closely with the HRA and Marshall security. Highlights from March 2022 include: Many different forest fauna utilising the water point at the BushShrike junction, including: Blue Duiker; Black Sparrow Hawk; Purple Turaco; and a Wood Owl. The camera on the Bush-Shrike trail also picked up some beautiful images of foraging Banded Mongoose and Crested Guinea fowl.



Blue Duiker



Black Sparrow-Hawk



Purple Turaco



Wood Owl



Banded Mongoose




Crested Guinea fowl



## Camera trap images September /October 2021

Given that we are still working out how best to deploy the camera traps in the nature reserve, some of the images received so far have been beautiful. Species noted below are as follows: Crested guinea fowl, spotted Genet, and female, male and juvenile bushbuck. Other forest antelope noted have been both red and blue duiker. Four cameras have now been deployed. Their locations have been sited in Fig. 1.





Embankment slip: The extensive rain in mid-April and flooding of the Umhlanga river has triggered a slip of a steep section of the northern forest embankment (Fig. 1a,b). This section of forest appears to have been compromised for some time as exposed sections vegetation (sandy areas in Fig 1c) are visible in the orthophoto which was taken in 2018-2019. The vegetation cover on this slope prior to the slip was largely composed of pioneer vegetation such as *Chromolaena odorata* and *Brachyleana discolor*. It is not immediately clear what management or rehabilitation actions can be conducted to secure such a steep slope. Its likely that the dune slope will find a natural gradient. Aside from engineering options, one approach could be to plant or reseed this bank with fast growing and deep rooting indigenous trees such as *Albizia adianthifolia*. These will take 10 years to become established but if so they will offer resilience to this area for next decadal-scale rainfall event.



Fig. 1a. A perspective of the slip, looking north towards the bend in the Umhlanga river.



Fig. 1b. A perspective of the slip, looking south across the Umhlanga river towards the forest embankment.



Fig. 1c. An aerial perspective of the area taken in 2018/2019 shows a previous slip which would have likely occurred due to a similar rainfall or disturbance event. The erosion site is located on the outer-apex of the river bend so this may be part of ongoing catchment-scale processes.



# The Polyphagous Shot Hole Borer (*Euwallacea fornicatus*\*) and Fusarium dieback (*Fusarium euwallaceae*)

The Polyphagous Shot Hole Borer (PSHB) is an ambrosia beetle native to Southeast Asia. In 2017 this pest was detected on London Plane trees in the KwaZulu-Natal National Botanical Gardens, Pietermaritzburg. Its presence has since been confirmed in multiple locations in eight provinces in South Africa. The beetle has a symbiotic relationship with the fungus *Fusarium euwallaceae*, which serves as a food source for the adults and their larvae. In susceptible trees the fungus causes a disease called Fusarium dieback, which can lead to dying branches and tree death. The beetles attack a wide range of exotic and indigenous trees in urban, agricultural and natural landscapes.



Above: An adult female is 1.8-2.6mm long. Males are smaller and cannot fly.



PSHB is not able to complete its life cycle on all the tree species it attacks. Trees in which the beetle is able to breed and multiply are referred to as '**reproductive host trees**'. Important reproductive hosts include species of oaks, maples, willows and coral trees, avocado and castor bean. '**Non-reproductive host trees**' are attacked by the beetle, but the beetles do not establish galleries (tunnels) or breed. The fungus may, or may not cause disease. Trees are generally not expected to die. An updated list of confirmed hosts in South Africa can be viewed at [www.fabinet.up.ac.za/pshb/](http://www.fabinet.up.ac.za/pshb/)

The movement of infested wood is an important means of spread of the beetle. Therefore, appropriate disposal of infested trees (by chipping/composting, solarization or burning) will be key to reducing the spread of this damaging pest. Surveys to monitor the spread of the beetle in South Africa are continuing. The public can assist by looking out for symptoms. Suspected instances can be reported to [pshb@fabi.up.ac.za](mailto:pshb@fabi.up.ac.za)

Left: Chinese maple tree killed by PSHB and its fungus



Reproductive galleries in pecan



PSHB galleries in coral tree



Shot gun-like symptoms on London Plane

Compiled by Z.W. de Beer & T. Paap (Version 2021-03-04) [www.fabinet.up.ac.za/pshb](http://www.fabinet.up.ac.za/pshb)



HAWAIIAN ESTATE GRASSLAND  
(ALIEN PLANT CONTROL)

Scale: 1:2,000  
Date: 11/2009  
Drawn: 11/2009

Legend  
Parcels  
Study Area

DEVELOPMENT PLANNING  
ENVIRONMENT & MANAGEMENT UNIT

**B**IODIVERSITY BRANCH  
Created by: Lucky murebe  
Tel Number: 031 311 7940  
Email address: murebe@hdb.gov.gh  
Phone: 031 311 7940

**ETHEKWINI**  
MUNICIPALITY

